



# Drilling Results - Guayabales Project

## Apollo Target

Status: Drilling Underway (Multiple Rigs)  
Initial Discovery Announced: June 22, 2022

### Highlights include:

Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO <sub>3</sub> %	AuEq g/t	CuEq %
APC-1	1	291.6	379.4	87.8	0.88	61	0.39	0.07	0.05	0.001	-	2.49	1.21
APC1-W	1	293	382.4	89.4	0.89	58	0.39	0.07	0.06	0.001	-	2.46	1.25
APC-2	2	154.7	361.9	207.15	1.46	45	0.31	0.08	0.05	0.002	-	2.68	1.37
Incl.		192.5	209.9	17.4	6.57	44	0.08	0.29	0.23	0.003	-	7.33	-
		270.6	291.6	20.95	3.67	68	0.41	0.03	0.03	0.002	-	5.21	-
APC-3	3	303.4	484	180.6	1.52	39	0.16	0.13	0.11	0.001	-	2.43	-
APC-4	2	132.3	149.8	17.5	12.79	21	0.03	0.11	0.05	0.001	-	12.61	-
APC-5	2	210.25	478.25	268	0.89	22	0.13	0.11	0.07	0.002	-	1.5	-
APC-6	3	364.6	690.65	326.05	0.85	10	0.04	0.04	0.02	0.001	-	1.07	-
Incl.		480.15	631.65	151.5	0.96	11	0.04	0.06	0.03	0.001	-	1.2	-
		680.1	690.65	10.55	4.67	7	0.05	0.01	0	0	-	4.64	-
APC-7	1	85.65	111.2	25.55	0.4	23	0.02	0.08	0.04	0.002	-	0.69	-
Incl.		110.1	111.2	1.1	5.62	158	0.05	1.28	0.8	0.009	-	7.48	-
and		199.85	238.25	38.4	1.3	21	0.04	0.05	0.03	0	-	1.51	-
APC-8	2	202	467.75	265.75	1.26	55	0.22	0.07	0.05	0.045	-	2.44	1.24
Incl.		202	215.2	13.2	3.68	27	0.03	0.32	0.24	0.238	-	4.29	-
		239.05	257.5	18.45	3.48	53	0.12	0.24	0.22	0.216	-	4.55	-
		279.4	307.85	28.45	3.7	24	0.16	0.03	0.02	0.016	-	4.18	-
		342.6	358.1	15.5	2.15	158	0.47	0.13	0.1	0.104	-	5.21	-
APC-9	1	No Significant Values											
APC-10	3	No Significant Values											
APC-11	2	55	55.6	0.6	7.73	28	0.02	0.07	0.47	0.001	-	8.02	-
		157.55	158.1	0.55	1.88	61	0.06	0.58	0.68	0.001	-	3.48	-
		160	161.2	1.2	2.89	113	0.07	0.74	1.49	0.001	-	5.64	-
		173.6	174.25	0.65	5.95	18	0.02	0.14	0.17	0.002	-	6.13	-
		231	231.65	0.65	11.8	12	0.01	0.54	0.13	0.001	-	11.9	-
		234.7	235.45	0.75	2.42	50	0.02	0.14	0.89	0.001	-	3.51	-
		237.1	238.45	1.35	4.22	11	0.02	0.08	0.08	0.001	-	4.3	-



# Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO <sub>3</sub> %	AuEq g/t	CuEq %
<b>APC-12</b>	4	191.35	429.05	237.7	1.15	72	0.38	0.08	0.07	0.001	-	2.88	1.47
Incl.		209.7	224	14.3	4.01	77	0.21	0.27	0.26	0.001	-	5.58	-
		339.55	361.3	21.75	3.84	210	0.68	0.37	0.45	0.001	-	8.27	-
		416.9	429.05	12.15	3.64	84	0.22	0.04	0.06	0.001	-	5.09	-
<b>APC-13</b>	2	126.4	143.2	16.8	4.24	19	0.01	0.24	0.21	0.001	-	4.6	-
Incl.		128.95	132.85	3.9	9.73	34	0.02	0.46	0.32	0	-	10.25	-
		141.2	143.2	2	15.54	65	0.02	1.03	1.1	0.001	-	16.99	-
<b>APC-14</b>	3	84.25	131.7	47.45	0.81	13	0.2	0.01	0	0.003	-	1.36	0.7
		197	391.3	194.3	0.39	56	0.44	0.03	0.01	0.002	-	2	1.02
<b>APC-15</b>	3	54.2	110.25	56.05	0.37	5	0.01	0.01	0	-	-	0.57	-
Incl.		180.95	181.65	0.7	13.29	9	-	0.01	0.01	-	-	12.81	-
and		206.95	207.5	0.55	7.87	5	-	0.01	0	-	-	7.61	-
<b>APC-16</b>	4	No Significant Values											
<b>APC-17</b>	3	118.2	190.5	72.3	1	28	0.63	0.02	-	0.004	-	2.57	1.31
Incl.		121.9	130.4	8.5	2.42	30	0.61	0.03	-	0.005	-	3.91	2
and		365.15	912.8	547.65	0.76	14	0.04	0.06	0.04	0.001	-	1.03	-
incl		816	837.5	21.5	1.53	28	0.09	0.04	0.02	0.001	-	2.04	-
<b>APC-18</b>	4	136.05	304.65	168.6	0.98	69	0.5	0.04	0.03	0	-	2.91	1.48
Incl.		149.2	157	7.8	5.08	35	0.52	0.02	-	0	-	6.34	3.23
		193.2	205.1	11.9	2.18	154	0.77	0.18	0.2	0	-	5.81	2.97
		233.9	251.5	17.6	1.49	56	0.74	0.05	0.02	0	-	3.63	1.85
		291.65	297	5.35	3.26	10	0.11	0.01	-	0	-	3.47	1.77
<b>APC-19</b>	4	199.2	497.8	298.6	0.48	34	0.31	0.04	0.02	0	-	1.54	0.79
Incl.		199.2	323.5	124.3	0.62	64	0.63	0.05	0.02	0	-	2.72	1.39
		491.3	497.8	6.5	2.33	26	0.04	0.08	0.06	0	-	2.69	-
<b>APC-20</b>	5	298.2	400.4	102.2	2.72	28	0.08	0.21	0.15	0	-	3.38	-
Incl.		324.25	357.85	33.6	6.3	45	0.08	0.42	0.33	0	-	7.3	-
		396.6	400.4	3.8	4.16	13	0.12	0.01	-	0.001	-	4.39	-
<b>APC-21</b>	3	No Significant Values											
<b>APC-22</b>	3	89.25	136.5	47.25	4.65	22	0.39			0.003	-	5.45	-
		167	183.8	16.8	2.59	79	0.5			0.002	-	4.56	-
and		308.8	734.8	426	1.05	23	0.08			0.001	-	1.51	-
Incl.		406.15	471	64.85	3.16	33	0.08			0.001	-	3.67	-
		568.1	593.9	25.8	2.23	25	0.05			0.001	-	2.59	-
		665.85	681.4	15.55	1.59	26	0.07			0.001	-	2.04	-
<b>APC-23</b>	5	311.35	383.05	71.7	0.86	10	0.02			0.001	-	1.01	-
		359.1	376.4	17.3	1.47	14	0.004			0.001	-	1.69	-
<b>APC-24</b>	4	101	151.6	50.6	1.15	10	0.02			0.001	-	1.28	-
Incl.		110.05	120.2	10.15	2.19	8	0.01			0.003	-	2.25	-
		128.75	134.75	6	2.04	11	0.02			0.001	-	2.15	-
and		316.25	317.65	1.4	4.85	26	0.08			0.001	-	5.15	-
<b>APC-25</b>	3	73	179.85	106.85	0.81	30	0.62			0.003	-	2.31	1.26
Incl.		111	125	14	2	35	0.75			0.005	-	3.65	2



# Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO <sub>3</sub> %	AuEq g/t	CuEq %
<b>APC-26</b>	4	415	726.2	311.2	0.74	16	0.05	-	-	0.001	-	1.04	-
Incl.		415	551.9	136.9	1.14	20	0.06	-	-	0.001	-	1.51	-
<b>APC-27</b>	3	299.5	372.4	72.9	0.3	6	0.02	-	-	0.002	-	0.44	-
<b>APC-28</b>	2	286.6	305.55	18.95	1.11	12	0.04	-	-	0.001	-	1.3	-
and		354.7	956.35	601.65	0.89	24	0.1	-	-	0.001	-	1.4	-
Incl.		354.7	614.65	259.95	1.21	43	0.2	-	-	0.001	-	2.15	-
		713.1	772.8	59.7	2.04	15	0.14	-	-	0.04	-	2.23	-
		863.15	868.8	5.65	2	13	0.04	-	-	0.001	-	2.17	-
<b>APC-29</b>	3	111.3	143.3	32	9.23	60	0.44	-	-	0.003	-	10.48	-
and		194.8	203.45	8.65	0.57	82	0.27	-	-	0.001	-	2.26	-
and		343.8	644.8	301	0.63	14	0.05	-	-	0.001	-	0.9	-
Incl.		343.8	558.2	214.4	0.77	14	0.05	-	-	0.001	-	1.04	-
Incl.		460	558.2	98.2	1.26	15	0.04	-	-	0.001	-	1.51	-
<b>APC-30</b>	4	267.6	586.25	318.65	0.61	19	0.12	-	-	0.002	-	1.1	-
Incl.		267.6	328.4	60.8	0.17	48	0.4	-	-	0.002	-	1.64	-
		472.3	553.7	81.4	1.95	18	0.04	-	-	0.002	-	2.22	-
<b>APC-31</b>	6	4.9	389.6	384.7	1.17	43	0.37	-	-	0.02	-	2.46	-
Incl.		4.9	325.7	320.8	1.34	49	0.44	-	-	0.02	-	2.84	-
		4.9	114.7	109.8	3.15	45	0.25	-	-	0.01	-	4.14	-
		4.9	47.25	42.35	4.81	23	0.09	-	-	0.001	-	5.08	-
<b>APC-33</b>	6	6.65	381.35	374.7	0.85	53	0.34	-	-	0.002	-	2.22	1.21
Incl.		6.65	49.5	42.85	3.87	40	0.12	-	-	0.001	-	4.5	-
<b>APC-35</b>	6	7	366.15	359.15	1.84	48	0.48	-	-	0.002	-	3.32	1.82
Incl.		7	42.3	35.3	7.96	22	0.09	-	-	0.001	-	8.06	-
		318.3	366.15	47.85	5.47	19	0.05	-	-	0.002	-	5.58	-
APC-36	7	2.8	113.2	110.4	1.73	9	0.14	-	-	0.004	-	2.08	1.11
Incl**		2.8	22.35	19.55	2.57	11	0.11	-	-	0.002	-	2.86	-
		102.05	113.2	11.15	6.84	14	0.28	-	-	0.006	-	7.36	-
<b>APC-38</b>	7	-	169.95	169.95	1.36	19	0.32	-	-	0.002	-	2.15	1.15
Incl**		-	20.95	20.95	3.12	2	0.1	-	-	0.002	-	3.24	-
		156.6	169.95	13.35	2.28	32	0.63	-	-	0.002	-	3.74	-
<b>APC-39</b>	6	8	284.3	276.3	2.12	36	0.22	-	-	0.001	-	2.95	1.57
Incl**		8	41	33	4.44	26	0.11	-	-	0.001	-	4.87	-
		75.8	93.55	17.75	2.84	36	0.4	-	-	0.001	-	3.94	-
		185.8	196.95	11.15	3.55	18	0.04	-	-	0.001	-	3.78	-
<b>APC-40</b>	7	1.5	170.75	169.25	1.93	19	0.38	-	-	0.003	-	2.81	1.5
Incl**		1.5	18.25	16.75	2.9	16	0.18	-	-	0.002	-	3.37	-
		18.25	30.2	11.95	9.45	8	0.16	-	-	0.002	-	9.57	-
		87.85	132.7	44.85	2.58	30	0.61	-	-	0.005	-	3.99	-
<b>APC-41</b>	6	1.65	83.7	82.05	2.81	13	0.1	-	-	0.002	-	3.09	1.65
Incl**		1.65	29.7	28.05	3.44	15	0.07	-	-	0.001	-	3.67	-
		83.7	140.7	57	0.24	3		-	-		-	0.34	-
<b>APC-42</b>	6	0	104.8	104.8	4.21	68	0.3	-	-	0.001	-	5.56	2.97
Incl**		0	44.55	44.55	6.48	37	0.1	-	-	0.001	-	6.99	-
		84.8	104.8	20	6.26	24	0.1	-	-	0.002	-	6.59	-
<b>APC-42</b>		106.95	126.3	19.35	0.26	3		-	-		-	0.33	-



# Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO <sub>3</sub> %	AuEq g/t	CuEq %
<b>APC-43</b>	7	-	271.3	271.3	2.37	23	0.42	-	-	0.002	-	3.35	1.79
Incl**		-	19.3	19.3	4.02	6	0.16	-	-	0.002	-	4.28	-
		19.3	51.6	32.3	4.39	9	0.14	-	-	0.004	-	4.65	-
		127.8	144.7	16.9	4.02	17	0.32	-	-	0.002	-	4.71	-
		214.7	256.75	42.05	5.07	12	0.11	-	-	0.002	-	5.29	-
<b>APC-44</b>	6	2	430.2	428.2	0.61	29	0.24	-	-	0.002	-	1.41	0.75
Incl**		2	39.55	37.55	1.81	14	0.1	-	-	0.001	-	2.13	-
Incl.		2	21.95	19.95	2.84	13	0.07	-	-	0.001	-	3.07	-
and		148.25	166.5	18.25	3.02	83	0.65	-	-	0.002	-	5.21	-
<b>APC-45</b>	7	-	162.2	162.2	2.59	29	0.56	-	-	0.003	-	3.9	2.08
Incl.		-	17.05	17.05	3.13	16	0.13	-	-	0.001	-	3.5	-
		17.05	54	36.95	4.93	7	0.11	-	-	0.003	-	5.08	-
		127.9	155	27.1	4.2	54	1.09	-	-	0.003	-	6.7	-
<b>APC-47</b>	4	21	49.25	28.25	0.77	10	-	-	-	-	-	0.93	-
		100.95	108.75	7.8	0.92	8	-	-	-	-	-	1.03	-
<b>APC-46</b>	6	5.75	363.75	358	0.55	31	0.32	-	-	0.002	-	1.52	0.81
Incl**		5.75	34	28.25	2.06	22	0.1	-	-	0.001	-	2.48	-
Incl.		5.75	25	19.25	2.65	24	0.05	-	-	0.001	-	3.01	-
and		153.05	213.6	60.55	1.13	48	0.53	-	-	0.002	-	2.69	-
and		418.45	425.6	7.1	0.8	4	0.02	-	-	0.002	-	0.88	-
<b>APC-47</b>	4	226.8	534.4	307.6	1.4	53	0.25	-	-	0.001	-	2.53	1.35
Incl.		233.15	261.5	28.35	3.84	65	0.24	-	-	0.001	-	5.06	-
		354.4	372.2	17.8	4.19	42	0.09	-	-	0.001	-	4.81	-
		396	413.1	17.1	5.19	90	0.19	-	-	0.001	-	6.62	-
<b>APC-48</b>	7	-	236.7	236.7	0.9	11	0.17	-	-	0.003	-	1.35	-
Incl.		-	114.4	114.4	1.71	15	0.29	-	-	0.003	-	2.38	1.27
		-	12.4	12.4	1.27	10	0.15	-	-	0.002	-	1.65	-
		13.15	31.4	18.25	5.9	17	0.2	-	-	0.002	-	6.32	-
& incl.		128.1	236.7	108.6	0.16	8	0.06	-	-	0.004	-	0.4	-
<b>APC-50</b>	9	53.3	191	137.7	0.74	52	0.66	-	-	0.002	-	2.6	1.39
Incl.		64.95	93.5	28.55	0.87	79	0.93	-	-	0.003	-	3.55	-
& incl.		180.7	187.7	7	2.74	9	0.05	-	-	0.002	-	2.9	-
<b>APC-51</b>	9	163.3	275.85	112.55	1.27	22	0.41	-	-	0.002	-	2.26	1.2
Incl.		198.25	219.35	21.1	1.5	39	0.72	-	-	0.002	-	3.25	-
& incl.		260.8	275.85	15.05	2.72	13	0.14	-	-	0.002	-	3.08	-
<b>APC-52</b>	10	1.9	192.2	190.3	1.19	43	0.41	-	-	0.001	-	2.46	1.31
Incl.		56.95	91	34.05	4.73	26	0.12	-	-	0.001	-	5.16	-
& incl.		157	182.8	25.8	0.46	138	0.75	-	-	0.002	-	3.76	-
<b>APC-53</b>	10	0	145	145	1.79	22	0.03	-	-	0.001	-	2.11	-
Incl.		21	58.3	37.3	2.91	15	0.02	-	-	-	-	3.06	-
& incl.		89.4	114.8	25.4	3.03	52	0.07	-	-	0.002	-	3.8	-
& incl.		129	144.4	15.4	2.96	24	0.04	-	-	0.001	-	3.28	-
and		232.95	562.7	329.75	2.3	42	0.16	-	-	0.001	-	3.1	-
Incl.		277.65	334.25	56.6	8.58	97	0.21	-	-	0.001	-	10.05	-
		410.7	429.8	19.1	3.08	19	0.04	-	-	-	-	3.32	-





# Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO <sub>3</sub> %	AuEq g/t	CuEq %
<b>APC-61</b>	6	0	217.55	217.55	0.97	51	0.41	-	-	0.002	-	2.35	-
Incl.		130.55	148.2	17.65	2.15	162	0.83	-	-	0.003	-	5.76	-
& incl.		160.05	187.55	27.5	2.8	28	0.32	-	-	0.002	-	3.65	-
<b>APC-62</b>	10	0	161.3	161.3	1.13	61	0.45	-	-	0.002	-	2.71	-
Incl.		26.45	60.05	33.6	4.21	34	0.2	-	-	0.002	-	4.91	-
and		203.6	237.6	34	1.87	28	0.42	-	-	0.002	-	2.92	-
Incl.		204.8	220.9	16.1	2.58	30	0.56	-	-	0.003	-	3.87	-
<b>APC-63</b>		-	593.65	593.65	1.46	15	0.03	-	-	0.001	-	1.69	-
Incl.		-	353.1	353.1	1.16	15	0.02	-	-	0.002	-	1.39	-
& incl.		353.1	593.65	240.55	1.9	15	0.03	-	-	0.001	-	2.12	-
<b>APC-64</b>		33.4	484.8	451.4	1.48	57	0.26	-	-	0.001	-	2.67	-
Incl.		34.65	133.15	98.5	3.13	16	0.05	-	-	0.001	-	3.36	-
& incl.		309.4	380.35	70.95	2.05	104	0.38	-	-	0.001	-	4.1	-
<b>APC-66</b>		245.15	267.4	22.25	0.28	12	0.04	-	-	-	-	0.51	-
And		292.5	393.55	101.05	0.62	14	0.04	-	-	0.001	-	0.87	-
Incl.		348.1	362.25	14.15	0.89	19	0.04	-	-	0.001	-	1.21	-
& incl.		384	393.55	9.55	2.27	39	0.1	-	-	0.005	-	2.96	-
<b>APC-67</b>		109.25	162.8	53.55	1.13	11	0.02	-	-	0.002	-	1.31	-
Incl.		112.2	136.85	24.65	2.21	19	0.03	-	-	0.002	-	2.47	-
<b>APC-65</b>	10	-	503.25	503.25	1.55	23	0.1	-	-	0.001	-	2	-
Incl.		126.9	183.55	56.65	4.75	9	0.02	-	-	0.001	-	4.78	-
& incl.		282	307.85	25.85	1.94	63	0.29	-	-	0.001	-	3.26	-
& incl.		325.6	389.8	64.2	1.95	30	0.06	-	-	0.001	-	2.42	-
& incl.		423.1	465.45	42.35	3.12	21	0.04	-	-	0.001	-	3.41	-
<b>APC-68</b>	1	76.5	122	45.5	0.82	18	0.03	-	-	0.005	-	1.14	-
Incl.		76.5	79.4	2.9	10.05	52	0.02	-	-	0.002	-	10.55	-
& incl.		98.15	98.9	0.75	4.47	270	0.06	-	-	0.004	-	8.33	-
& incl.		105.05	106.05	1	0.73	132	0.05	-	-	0.008	-	2.75	-
& incl.		112.65	114.8	2.15	0.65	55	0.02	-	-	0.005	-	1.49	-
<b>APC-69</b>	10	0.3	78.65	78.35	1.12	13	0.02	-	-	0	-	1.32	-
Incl.		55	60.65	5.65	5.33	84	0.04	-	-	0.001	-	6.44	-
and		221.4	299.7	78.3	0.64	8	0.05	-	-	0	-	0.82	-
Incl.		257.7	265.4	7.7	1.61	29	0.23	-	-	0	-	2.35	-
<b>APC-71</b>	5	6	96.75	90.75	0.1	23	0.04	-	-	0.003	-	0.53	-
Incl.		70.2	96.75	26.55	0.29	64	0.04	-	-	0.004	-	1.3	-
and		131.95	189	57.05	0.54	10	0.02	-	-	0	-	0.7	-
Incl.		131.95	148.9	16.95	1.21	24	0.04	-	-	0	-	1.58	-
<b>APC-72</b>	10	2	521.1	519.1	2.12	36	0.1	-	-	0.001	-	2.74	-
Incl.		2	229.75	227.75	1.49	21	0.05	-	-	0.001	-	1.84	-
& incl.		230.3	521.1	290.8	2.62	47	0.14	-	-	0.001	-	3.45	-
<b>APC-73</b>	3	114.3	194	79.7	0.29	9	0.05	-	-	0.003	-	0.53	-
Incl.		152.65	172.35	19.7	0.59	18	0.06	-	-	0.002	-	0.96	-
and		290.75	344.15	53.4	0.18	9	0.12	-	-	0.003	-	0.52	-



# Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO <sub>3</sub> %	AuEq g/t	CuEq %
<b>APC-74</b>	5	33.95	62.3	28.35	0.74	31	0.06	-	-	0.002	-	1.28	-
Incl.		33.95	47.4	13.45	1.15	44	0.09	-	-	0.002	-	1.9	-
and		272.2	494.55	222.35	1.61	25	0.09	-	-	0.001	-	2.07	-
Incl.		272.2	325.8	53.6	0.73	19	0.07	-	-	0.001	-	1.09	-
& incl.		325.8	494.55	168.75	1.89	27	0.09	-	-	0.002	-	2.38	-
<b>APC-75</b>	3	7	116.15	109.15	0.27	6	0.05	-	-	0.002	0.01	0.46	-
Incl.		109.75	116.15	6.4	3.42	9	0.04	-	-	0.003	-	3.54	-
and		302.25	337.05	34.8	0.23	21	0.06	-	-	0.005	-	0.66	-
Incl.		333.4	335.1	1.7	3.87	351	0.07	-	-	0.003	-	9.21	-
<b>APC-76</b>	5	Hole abandoned due to technical issues											-
<b>APC-77</b>	3	52.4	88.5	36.1	0.08	10	0.07			0.003	-	0.36	-
<b>APC-79</b>	3	No significant interval; drilled outside the Apollo intrusion											-
<b>APC-80</b>	12	119.9	250.35	130.45	1.3	33	0.19	-	-	0.001	0.03	2.17	-
Incl.		139	155.3	16.3	2.72	23	0.05	-	-	0.002	0.01	3.11	-
& incl.		159.05	173.1	14.05	0.87	55	0.16	-	-	0.002	0.26	2.76	-
& incl.		213.5	250.35	36.85	2.57	16	0.13	-	-	0.001	-	2.95	-
<b>APC-82</b>	12	70	105.8	35.8	0.46	8	0.01	-	-	-	-	0.58	-
and		132.35	231.1	98.75	1.27	52	0.39	-	-	-	0.03	2.71	-
Incl.		152.2	175.05	22.85	1.27	22	0.06	-	-	-	0.02	1.69	-
& incl.		175.05	204.65	29.6	1.81	82	0.75	-	-	0.001	0.09	4.43	-
& incl.		204.65	231.1	26.45	1.42	79	0.54	-	-	0.001	0.01	3.42	-
<b>APC-84</b>	12	120	173.7	53.7	0.51	10	0.02	-	-	0.001	-	0.67	-
Incl.		147.5	166.2	18.7	1.05	15	0.02	-	-	0.001	-	1.29	-
and		257.6	269.25	11.65	0.93	5	0.03	-	-	0.002	0.01	1.08	-
<b>APC-70</b>	1	83.3	106	22.7	0.71	23	0.03	-	-	0.008	-	1.15	-
Incl.		83.3	86.55	3.25	4.78	104	0.03	-	-	0.002	-	6.19	-
<b>APC70-D1</b>	1	229.3	428.7	199.4	1.46	11	0.04	-	-	0.001	-	1.65	-
Incl.		229.3	251.6	22.3	1.82	31	0.08	-	-	0.002	-	2.36	-
& incl.		281.4	314.3	32.9	2.17	11	0.03	-	-	0.002	-	2.32	-
& incl.		341.1	372.9	31.8	1.67	9	0.03	-	-	0.001	-	1.81	-
& incl.		402.2	428.7	26.5	3.41	7	0.04	-	-	0.001	-	3.48	-
and		488.15	513.85	25.7	1.27	4	0.03	-	-	0.004	-	1.36	-
<b>APC70-D2</b>	1	15	26.7	11.7	1.38	10	0.02	-	-	0	-	1.52	-
and		181.4	187.3	5.9	1.25	34	0.04	-	-	0	-	1.77	-
and		213.1	381.3	168.2	1.14	11	0.03	-	-	0.001	-	1.32	-
Incl.		240	261.35	21.35	2.83	20	0.04	-	-	0.001	-	3.1	-
& incl.		296.9	324.2	27.3	2.32	16	0.04	-	-	0.001	-	2.55	-
& incl.		366	381.3	15.3	1.44	10	0.05	-	-	0.001	-	1.64	-



# Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO <sub>3</sub> %	AuEq g/t	CuEq %
<b>APC70-D3</b>	1	7.45	12.55	5.1	3.23	11	0.02	-	-	0	-	3.33	-
	and	106.45	134.9	28.45	0.48	6	0.01	-	-	0	-	0.58	-
	and	245.5	414.3	168.8	1.59	14	0.03	-	-	0.002	-	1.82	-
	Incl.	247.95	269.6	21.65	1.79	30	0.06	-	-	0.001	-	2.27	-
	& incl.	305.5	414.3	108.8	2	14	0.03	-	-	0.002	-	2.21	-
	and	476.4	481.1	4.7	0.99	28	0.01	-	-	0.002	-	1.4	-
<b>APC70-D4</b>	1	45.25	51.3	6.05	1.9	35	0.1	-	-	0.002	-	2.52	-
	and	119.35	123.6	4.25	13.87	60	0.02	-	-	0	-	14.34	-
	and	192	197.8	5.8	5.35	19	0.02	-	-	0	-	5.5	-
	and	268.55	658	389.45	1.17	11	0.03	-	-	0.001	-	1.36	-
	Incl.	279.2	308.45	29.25	2.18	30	0.05	-	-	0	-	2.62	-
	& incl.	456.25	540.5	84.25	1.64	16	0.03	-	-	0.001	-	1.88	-
	& incl.	579.9	592.25	12.35	1.7	14	0.03	-	-	0.001	-	1.92	-
	& incl.	636.2	658	21.8	4.4	8	0.02	-	-	0	-	4.41	-
<b>APC70-D5</b>	1	17.1	116.3	99.2	0.51	7	0.02	-	-	-	-	0.62	-
	Incl.	84.3	115.65	31.35	1.24	10	0.01	-	-	-	-	1.37	-
	and	223.6	751	527.4	0.86	7	0.03	0.001	-	-	-	1	-
	Incl.	239.4	268.9	29.5	1.19	12	0.04	-	-	-	-	1.46	-
	& incl.	278.75	308	29.25	1.23	14	0.03	-	-	-	-	1.45	-
	& incl.	404	437.6	33.6	1.12	15	0.06	-	-	-	-	1.41	-
	& incl.	603.6	710.6	107	2.02	6	0.02	0.001	-	-	-	2.09	-
<b>APC70-D6</b>	1	75.15	217	141.85	0.78	12	0.04	0.001	-	-	-	1	-
	Incl.	75.8	107.55	31.75	1.2	13	0.03	-	-	-	-	1.4	-
	& incl.	123.1	165.35	42.25	1.24	18	0.04	0.001	-	-	-	1.54	-
		<i>From 217.00m hole abandoned before reaching target depth</i>											
<b>APC-86</b>	13	53	143.3	90.3	1.65	10	0.03	0.001	-	-	-	1.81	-
	Incl.	53.7	65.9	12.2	1.57	13	0.02	-	-	-	-	1.75	-
	& incl.	73.6	104.9	31.3	3.86	18	0.03	0.001	-	-	-	4.07	-
<b>APC-89</b>	13	5.8	115.4	109.6	0.79	9	0.02	-	-	-	-	0.93	-
	Incl.	77.7	105	27.3	1.84	11	0.02	-	-	-	-	1.98	-
	and	146.4	153	6.6	0.92	12	0.01	-	-	-	-	1.09	-





# Drilling Results - Guayabales Project

Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO <sub>3</sub> %	AuEq g/t	CuEq %
<b>APC-90D</b> Mother Hole	15	86.1	118.3	32.2	0.77	49	0.02	0.001	-	-	-	1.5	-
and		239.35	342.7	103.35	0.23	4	0.01	-	-	-	-	0.32	-
<b>APC90-D1</b>	15	242.25	296	53.75	0.58	9	0.03	0.002	-	-	-	0.75	-
and		399.35	410.85	11.5	0.91	5	0.02	-	-	-	-	0.98	-
and		460.65	471.3	10.65	3.09	13	0.03	0.001	-	-	-	3.23	-
and		542.65	553.35	10.7	1.11	4	0.01	0.001	-	-	-	1.17	-
and		582.25	592.35	10.1	0.79	2	0.01	0.001	-	-	-	0.83	-

Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo ppm	WO <sub>3</sub> ppm	AuEq g/t	CuEq %
<b>APC-88D</b> Mother Hole	14	70.1	90.1	20	0.89	4	0.01	-	-	2	4	0.94	-
<b>APC88-D1</b>	14	85.3	582.65	497.35	1.17	34	0.12	-	-	2	27	1.8	-
Incl.		85.3	286.1	200.8	2.04	61	0.22	-	-	3	57	3.19	-
and		756	958.35	202.35	2.11	4	0.02	-	-	36	5	2.16	-
Incl.		809	824.6	15.6	20.75	11	0.02	-	-	47	5	20.34	-
<b>APC88-D2</b>	14	68.1	617	548.9	1.33	31	0.12	-	-	3	35	1.91	-
Incl.		154.7	288.6	133.9	3	99	0.36	-	-	3	95	4.87	-
& incl.		356.5	407.8	51.3	3.36	14	0.03	-	-	2	9	3.51	-
& incl.		541	556.1	15.1	1.74	18	0.06	-	-	2	6	2.03	-
and		737	755.2	18.2	1.13	6	0.02	-	-	21	7	1.23	-
<b>APC-91</b>	15	282.3	298.9	16.6	2.8	22	0.02	-	-	23	6	3.06	-
Incl.		289.6	294.65	5.05	8.13	36	0.01	-	-	28	7	8.43	-
and		448	449.35	1.35	4.15	-	0.01	-	-	1	1	4.04	-
<b>APC-92</b>	14	93.85	245.05	151.2	0.81	12	0.09	-	-	13	55	1.12	-
Incl.		189.9	245.05	55.15	1.88	23	0.19	-	-	13	121	2.5	-
and		321.4	407.4	86	0.26	7	0.09	-	-	21	88	0.55	-
<b>APC-93</b>	14	127.25	687.3	560.05	1.18	34	0.13	-	-	4	52	1.83	-
Incl.		219.6	331.6	112	2.4	110	0.43	-	-	5	59	4.52	-
& incl.		396.9	507.65	110.75	2.49	16	0.04	-	-	5	43	2.73	-
and		788.1	823	34.9	0.98	8	0.03	-	-	16	7	1.1	-
and		898	940	42	0.72	4	0.02	-	-	25	7	0.79	-
and		1,036.75	1,103.25	66.5	1.12	5	0.02	-	-	19	6	1.18	-
Incl.		1,049.15	1,065.90	16.75	2.4	9	0.02	-	-	22	6	2.48	-



# Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo ppm	WO <sub>3</sub> ppm	AuEq g/t	CuEq %
<b>APC-95</b>	14	5.75	23.75	18	0.96	17	0.03	-	-	3	14	1.18	-
and		92.65	103.65	11	1.01	5	0.03	-	-	5	5	1.09	-
and		207.2	720.9	513.7	1.5	42	0.18	-	-	3	8	2.2	-
Incl.		295.4	412.35	116.95	3.73	76	0.26	-	-	2	10	4.88	-
<b>APC-97</b>	14	192	1,017.70	825.7	0.83	15	0.09	-	-	4	8	1.11	-
Incl.		205.3	310.55	105.25	0.78	52	0.48	-	-	9	18	2.02	-
& incl.		479.1	554	74.9	1.81	19	0.05	-	-	5	7	2.06	-
& incl.		825.05	879.6	54.55	1.91	7	0.02	-	-	1	8	1.97	-
& incl.		909.3	927.35	18.05	2.37	11	0.03	-	-	2	7	2.46	-
<b>APC-94</b>	14	0.00	35	35	0.45	7.00	0.02	-	-	-	-	0.55	-
and		142.65	143.3	0.65	5.61	63.00	0.05	-	-	-	-	6.27	-
and		282.85	283.9	1.05	2.16	95.00	0.09	-	-	-	-	3.35	-
and		342.15	342.85	0.7	3.77	1.00	0.00	-	-	-	-	3.69	-
and		354.65	355.7	1.05	5.21	2.00	0.01	-	-	-	-	5.12	-
and		444.4	445.4	1.00	7.03	10.00	0.03	-	-	-	-	7	-
and		481.1	501.8	20.7	0.14	9.00	0.11	-	-	-	-	0.43	-
<b>APC-96</b>	OPad5	58.20	59.25	1.05	1.88	6.00	0.01	-	-	-	-	1.92	-
and		292.9	294.1	1.20	4.18	3.00	0.01	-	-	-	-	4.11	-
and		430.8	432	1.20	2.00	5.00	0.00	-	-	-	-	2.04	-
<b>APC98-D1</b>	OPad5	5.95	11.15	5.20	0.83	15	0.03	-	-	-	-	1.04	-
and		28.5	42.75	14.25	1.05	8	0.01	-	-	-	-	1.13	-
and		82.45	102.2	19.75	0.82	15	0.04	-	-	-	-	1.04	-
and		145.3	365.9	220.6	0.89	11	0.04	-	-	-	-	1.07	-
Incl.		146.85	162.55	15.7	2.53	21	0.01	-	-	-	-	2.72	-
& incl.		195.35	227.55	32.2	1.54	19	0.06	-	-	-	-	1.86	-
& incl.		249.15	276.9	27.75	1.7	14	0.05	-	-	-	-	1.88	-
<b>APC98-D2</b>	OPad5	30.60	286.95	256.35	1.03	13	0.03	-	-	-	-	1.23	-
Incl.		30.60	73.6	43	0.75	22	0.04	-	-	-	-	1.06	-
& incl.		117.10	125	7.9	1.7	9	0.01	-	-	-	-	1.76	-
& incl.		163.00	174.9	11.9	2.89	23	0.02	-	-	-	-	3.11	-
& incl.		185.30	286.95	101.65	1.67	17	0.05	-	-	-	-	1.95	-



# Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo ppm	WO <sub>3</sub> ppm	AuEq g/t	CuEq %
<b>APC-99D</b>	Pad16	90.25	90.9	0.65	22	163	0.02	1	-	-	-	23.31	-
and		120.75	125.65	4.9	0.64	27	0.01	0.07	-	-	-	0.96	-
and		311.8	317.1	5.3	1.05	4	-	0.01	-	-	-	1.08	-
<b>APC99-D1</b>	16	NSV. Drillhole lost before reaching target depth											
<b>APC99-D2</b>	16	201.5	203.05	1.55	2.01	72	0.09	1.08	-	-	-	2.92	-
and		253.4	511.7	258.3	1.4	12	0.03	0.13	-	-	-	1.56	-
Incl.		253.4	276.9	23.5	2.32	15	0.05	0.09	-	-	-	2.51	-
& incl		362.2	402.15	39.95	4.12	28	0.06	0.36	-	-	-	4.42	-
& incl		445.5	462.75	17.25	1.79	20	0.02	0.37	-	-	-	2.03	-
and		623.5	646.8	23.3	1.17	2	0.02	0.02	-	-	-	1.2	-
<b>APC99-D3</b>	16	236.85	246.1	9.25	2.17	12	0.04	0.01	-	-	-	2.3	-
and		289.95	448.4	158.45	0.81	9	0.03	0.05	-	-	-	0.95	-
Incl.		289.95	309	19.05	1.84	23	0.05	0.23	-	-	-	2.12	-
& incl		387.25	410.6	23.35	2.08	9	0.04	0.03	-	-	-	2.18	-
<b>APC99-D4</b>	16	134.55	136.5	1.95	1.44	35	0.01	0.23	-	-	-	1.93	-
and		255.25	257.3	2.05	2.9	5	0.09	0.01	-	-	-	3	-
and		270.3	274.5	4.2	1.53	5	-	0.17	-	-	-	1.61	-
and		369	770.8	401.8	0.9	8	0.03	0.14	-	-	-	1.06	-
Incl.		374	400.55	26.55	2.43	31	0.07	0.48	-	-	-	3.01	-
& incl		416.95	435.9	18.95	2.01	23	0.06	0.33	-	-	-	2.43	-
& incl		567.25	602.8	35.55	1.72	12	0.03	0.43	-	-	-	2.03	-
& incl		732.55	770.8	38.25	2.37	6	0.02	0.12	-	-	-	2.44	-



# Drilling Results - Guayabales Project

## Apollo Extension Area

Highlights include:

Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t
<b>OLCC-3</b>	61.7	363.6	301.90	0.89	12	0.03	0.03	0.03	0.002	1.11
<b>OLCC-3</b>	486.7	520.9	34.20	0.74	8	0.03	0.04	0.03	0.001	0.9
<b>OLCC-4</b>	73	289.7	216.70	0.79	14	0.04	0.02	0.03	0.004	1.08
<b>OLCC-4</b>	480.3	590.4	110.10	0.69	7	0.02	0.03	0.03	0.001	0.82
<b>OLCU-2</b>	172.6	227.85	55.25	1.75	11			0.02	0.003	1.91
<b>APC-98D</b>	31.2	47	15.8	0.03	29	0.03	-	-	-	0.42
and	106	125.2	19.2	0.71	17	0.04	-	-	-	0.95
and	162.9	169.85	6.95	2.17	4	0.02	-	-	-	2.18
and	212.7	254.3	41.6	0.88	10	0.02	-	-	-	1
<b>PZC-3</b>	95.95	146.05	50.1	0.83	22	0.1	-	-	-	1.2
Incl.	95.95	107	11.05	1.77	20	0.07	-	-	-	2.06
& incl.	125.9	146.05	20.15	0.98	35	0.15	-	-	-	1.57
<b>OLD-1</b>	118.55	119.55	1	5.34	5	0.02	-	-	-	5.27
and	293.25	294.1	0.85	4.12	5	0.02	-	-	-	4.09
and	308	319.05	11.05	1.41	13	0.01	-	-	-	1.56
and	340	349.3	9.3	0.85	13	0.02	-	-	-	1.01
and	497.45	498	0.55	6.91	11	0.02	-	-	-	6.92
and	591.15	613.75	22.6	1.61	6	0.03	-	-	-	1.67
Incl.	598.45	613.75	15.3	2.03	5	0.03	-	-	-	2.07
and	640	647.2	7.2	1.24	11	0.03	-	-	-	1.44
and	691.4	699.7	8.3	2.07	14	0.04	-	-	-	2.24
and	911.65	942.15	30.5	0.94	5	0.02	-	-	-	1.01
Incl.	912.25	918.9	6.65	1.81	13	0.03	-	-	-	1.96
and	1011.45	1018.25	6.8	1.31	4	0.02	-	-	-	1.35
and	1189.7	1192.8	3.1	1.12	1	0	-	-	-	1.11
<b>OLD-2</b>	21.7	23.5	1.8	5.4	24	0.04	-	-	-	5.58
and	317.2	319.55	2.35	1.54	136	0.04	-	-	-	3.19



# Drilling Results - Guayabales Project

## Trap Target

Status: Drilling Underway

Initial Discovery Announced: September 27, 2022

Highlights include:

Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t
<b>TRC-1</b>	233.80	336.00	102.20	1.26	12	0.09	0.08	0.01	0.003	1.53
Incl.	259.10	269.00	9.90	3	25	0.25	0.03	0	0.007	3.65
	294.50	303.70	9.20	1.82	31	0.07	0.27	0.08	0.003	2.27
<b>TRC-2</b>	19.5	665.5	646	0.71	6	0.02	-	-	0.001	0.81
Incl.	19.5	321	301.5	0.84	7	0.04	-	-	0.003	1.01
& incl.	385.6	477.3	91.7	0.96	4	-	-	-	-	1
<b>TRC-3</b>	86.8	246.55	159.75	0.69	15	0.07	-	-	0.004	1.04
Incl.	188	235	47	1.68	28	0.12	-	-	0.003	2.25
& incl.	359.35	432.05	72.7	0.61	6	0.04	-	-	0.003	0.77
<b>TRC-4</b>	253.15	261.05	7.9	0.83	20	-	0.51	0.31	-	1.35
<b>TRC-5</b>	31.25	263.6	232.35	0.54	4	-	0.04	-	-	0.6
Incl.	69.3	82.15	12.85	0.87	10	-	0.08	-	-	1
& incl.	108.85	124	15.15	1.01	4	-	0.02	-	-	1.03
& incl.	177.45	185.8	8.35	0.92	8	-	0.03	0.01	-	1.12
& incl.	223.8	239.65	15.85	1.34	2	-	0.01	-	-	1.33
and	333.3	388.4	55.1	1.1	2	-	0.01	-	-	1.09
Incl.	349	357.15	8.15	5.56	4	-	0.01	-	-	5.45
& incl.	377.2	385.35	8.15	1.07	1	-	0.01	-	-	1.06
and	456.4	508.35	51.95	0.59	2	-	0.01	0.01	-	0.61
Incl.	456.4	464.4	8	1.21	7	-	0.01	-	-	1.26
& incl.	497.8	508.35	10.55	1.13	2	-	0.01	-	-	1.13



# Drilling Results - Guayabales Project



Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t
<b>TRC-6</b>	98.4	305.35	206.95	0.9	5	-	0.03	0.02	-	1.02
Incl.	110.7	170.85	60.15	1.77	5	-	0.02	0.01	-	1.89
and	623.35	739	115.65	0.79	11	-	0.19	0.08	-	1
Incl.	641.1	656.55	15.45	1.3	3	-	0.12	0.05	-	1.36
& incl.	725.5	739	13.5	1.37	8	-	0.16	0.09	-	1.51
<b>TRC-7A</b>	172.65	804.9	632.25	0.92	9	-	0.13	0.13	-	1.1
Incl.	172.65	212	39.35	1.97	10	-	0.18	0.15	-	2.16
& incl.	311.3	362.8	51.5	2.56	9	-	0.16	0.19	-	2.73
& incl.	393	439.35	46.35	1.88	18	-	0.51	0.5	-	2.41
& incl.	559.2	575.85	16.65	0.91	103	-	0.1	0.11	-	2.19
<b>TRC-8</b>	187.55	238.6	51.05	1.2	12	-	0.18	0.11	-	1.41
Incl.	188.5	196.05	7.55	2.29	37	-	0.41	0.25	-	2.9
& incl.	226.7	238.6	11.9	2.11	20	-	0.32	0.2	-	2.49
<b>TRC-9</b>	273.7	274.75	1.05	3.47	0	-	0	0	-	3.37
and	290.65	292.8	2.15	3.45	42	-	0.37	0.08	-	4.01
and	370.95	371.95	1	6.32	7	-	0.01	0	-	6.21
and	459.4	462.65	3.25	4.74	14	-	0.06	0.12	-	4.83
<b>TRC-10</b>	284.95	374.8	89.85	0.69	3	-	0.04	0.03	-	0.73
Incl.	344.8	357.9	13.1	1.91	7	-	0.05	0.07	-	1.98
<b>TRC-11</b>	240.7	242.2	1.5	1.2	2	-	0.03	0.02	-	1.21
and	262.35	265.25	2.9	2.75	21	-	0.3	0.19	-	3.11
and	485.15	659.6	174.45	0.89	11	-	0.29	0.25	-	1.19
Incl.	485.15	526	40.85	2.67	38	-	0.98	0.98	-	3.76
& incl.	653.15	659.6	6.45	1.08	4	-	0.05	0.04	-	1.12
<b>TRC-12</b>	8.2	10.5	2.3	1.35	11	-	0.01	0.02	-	1.46
and	183	185.9	2.9	1.44	21	0.02	0.01	0.01	-	1.65
and	376.9	464.5	87.6	1.46	6	0.01	0.14	0.07	-	1.57
Incl.	437.85	464.5	26.65	2.92	12	0.03	0.44	0.2	-	3.22
and	562	563.55	1.55	1.14	48	0.06	0.03	0.08	-	1.8
and	591.65	593.5	1.85	2.64	9	0.05	0.21	0.12	-	2.79



Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t
<b>TRC-13</b>	NSV									
<b>TRC-14</b>	11.85	41.85	30	3.1	149	0.05	0.12	0.2	-	4.96
and	64.25	79.85	15.6	0.8	12	0.01	0.04	0.02	-	0.95
and	328.8	333.45	4.65	5.8	9	0.11	0.01	0.02	-	5.88
and	403.4	437.85	34.45	1.39	6	0.04	0.02	0.02	-	1.44
Incl.	419.55	423.8	4.25	6.3	16	0.04	0.05	0.06	-	6.35
& incl.	435.25	437.85	2.6	3.82	5	0.01	0.02	0.03	-	3.79
and	544.4	548.25	3.85	2.93	2	0.01	0.03	0.01	-	2.88
<b>TRC-15</b>	NSV									



# Drilling Results - Guayabales Project

## Plutus Target

Status: Drilling Underway

Initial Discovery Announced: October 18, 2021

Highlights include:

Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn%	Pb%	Mo %	AuEq g/t
<b>DOC-2</b>	0	104	104.00	1.21	12	0.03	0.04	0.03	0.002	1.42
Incl.	16	34	18.00	4.78	10	0.05	0.03	0.01	0.001	4.81
<b>DOC-3</b>	0	163	163.00	1.17	10	0.02	0.03	0.01	0.002	1.32
Incl.	155.6	157.1	1.50	83.23	37	0.04	0.06	0.04	0.001	79.73
<b>PNC-1</b>	2.9	25.35	22.45	0.19	1	0.04	-	-	0.006	0.32
and	53	138.05	85.05	0.18	1	0.06	-	-	0.003	0.31
and	169.75	209.10	39.35	0.11	4	0.09	-	-	0.004	0.35
and	254.90	279.30	24.40	0.11	5	0.07	-	-	0.006	0.35
and	312.10	343.45	31.35	0.25	6	0.09	-	-	0.006	0.53
<b>PNC-2</b>	65.3	100.4	35.1	0.2	2	0.1	-	-	0.002	0.41
and	143.2	329	185.8	0.59	13	0.02	-	-	0.002	0.81
and	369.35	505.8	136.45	0.97	20	0.04	-	-	0.002	1.31
& incl.	462.35	505.3	42.95	1.9	28	0.08	-	-	0.002	2.39
<b>PNC-5</b>	4.4	309	304.6	0.58	9	0.03	-	-	0.003	0.76
Incl.	96.75	144.65	47.9	1.11	10	0.01	-	-	0.001	1.25
& incl.	255	309	54	1.44	16	0.02	-	-	0.003	1.69